



60-TRU-VIEW-XL XT shown with Birch Logs

TRU-VIEW SERIES

ELECTRIC FIREPLACES

Amantii

SLIM SMART

Tru View Slim Smart electric fireplaces are designed to fit into a 2" x 4" wall opening size since they have a depth of 10.16cm. Available in five sizes, 30", 40", 50", 60" and 72", you'll find a unit that is perfect for any space in your home or commercial space. The Tru View Slim is perfectly suited to installations where wall depth is at a premium.

Boasting high intensity LED flames allowing for multi color flame options, WiFi compatibility, 3 flame speeds and a thermostatic remote control.

The Tru View Slim Smart comes standard with a 10 piece birch log set and charcoal and black fireglass

KEY FEATURES

- 3 sided built in electric fireplace
- WiFi Compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and Apple App Store
- Three speed flame motor
- Heat Outdoor 5000 BTU
- No unsightly venting and grills seen. A true clean and vent free look
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Touch pad for convenient control of the features and temperature display from the fireplace.
- Choose from combinations of yellow, orange and red colored flames
- Approved for indoor or outdoor applications. *Overhang required for outdoor applications
- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Two flame pattern styles – standard and more traditional
- New patented thermostatic remote comes included

IDEAL APPLICATIONS

- Apartments
- New construction or renovations
- Outdoor spaces

TECHNICAL SPECS

Volts	120
Amps	12.5
Watts	1465 max
Heater On	1465 W high, 750 W low
Heater Off	25 W
Rotor Motor	1 at 5 W
BTU	5000



30-TRV-SLIM



40-TRV-SLIM



Height, Width, Depth: 67.75 x 84.5 x 27
Glass Viewing Opening: 39.75 x 75.25
Shipping Size: 74 x 95.25 x 32.25
Shipping Weight: 38.75kg Glass Included

Height, Width, Depth: 67.75 x 110 x 27
Glass Viewing Opening: 39.75 x 100.75
Shipping Size: 74 x 120.75 x 32.25
Shipping Weight: 47.25kg Glass Included



60-TRV-SLIM

Height, Width, Depth: 67.75 x 160.75 x 27
 Glass Viewing Opening: 39.75 x 151.5
 Shipping Size: 74 x 171.5 x 32.25
 Shipping Weight: 62.75kg Glass Included

Shown with optional media.



72-TRV-SLIM

Height, Width, Depth: 67.75 x 191.25 x 27
 Glass Viewing Opening: 39.75 x 182
 Shipping Size: 74 x 202 x 32.25
 Shipping Weight: 75.75kg Glass Included

Shown with optional media.

50-TRV-SLIM



Height, Width, Depth: 67.75 x 135.5 x 27
 Glass Viewing Opening: 39.75 x 126.25
 Shipping Size: 74 x 146.25 x 32.25
 Shipping Weight: 55kg Glass Included

INCLUDED ACCESSORIES

The TRU VIEW SLIM series comes with a 10 piece log set and charcoal grey fire glass, vermiculite, black fire glass plus a remote.



XL EXTRA TALL SMART

Introducing flames into your living space can not be easier with our stunning Tru View XL Extra Tall Smart Fireplaces. With the Tru View XL Extra Tall series, you'll find a selection of logs, embers, and glass media to create the stunning illusion of flames.

This unit can be built into a wall as a single sided, left corner, right corner, or three sided bay. Using this versatility, you can create some truly unique installations for standard rooms or rooms with unusual configurations. With 55.88cm in glass viewing height you'll enjoy unobstructed viewing of the high intensity LED flame effects. Our Tru View XL Extra Tall Smart is truly a showstopper.

KEY FEATURES

- 3 sided built in electric fireplace
- WiFi Compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and Apple App Store
- Three speed flame motor
- Heat Outdoor 5000 BTU
- No unsightly venting and grills seen. A true clean and vent free look
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Touch pad for convenient control of the features and temperature display from the fireplace.
- Choose from combinations of yellow, orange and red colored flames
- Approved for indoor or outdoor applications. *Overhang required for outdoor applications
- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Two flame pattern styles – standard and more traditional
- New patented thermostatic remote comes included

IDEAL APPLICATIONS

- Residential spaces
- Patios
- Outdoor spaces
- Commercial spaces
- Restaurants
- New construction or renovations

TECHNICAL SPECS

Volts	120
Amps	12.5
Watts	1465 max
Heater On	1465 W high, 750 W low
Heater Off	25 W
Rotor Motor	2 at 5 W
BTU	5000



40-TRV-XL-XT



Height, Width, Depth: 84 x 110 x 35
Glass Viewing Opening: 56 x 100.75
Shipping Size: 89.75 x 120.75 x 39.75
Shipping Weight: 57.25kg Glass Included

50-TRV-XL-XT



Height, Width, Depth: 84 x 135.5 x 35
Glass Viewing Opening: 56 x 126.25
Shipping Size: 89.75 x 146.25 x 39.75
Shipping Weight: 67.25kg Glass Included



72-TRV-XL-XT

Height, Width, Depth: 84 x 191.25 x 35
 Glass Viewing Opening: 56 x 182
 Shipping Size: 89.75 x 202 x 39.75
 Shipping Weight: 91.25kg Glass Included



88-TRV-XL-XT

Height, Width, Depth: 84 x 232 x 35
 Glass Viewing Opening: 56 x 222.75
 Shipping Size: 89.75 x 242.75 x 39.75
 Shipping Weight: 105kg Glass Included

60-TRV-XL-XT



Height, Width, Depth: 84 x 160.75 x 35
 Glass Viewing Opening: 56 x 151.5
 Shipping Size: 89.75 x 171.5 x 39.75
 Shipping Weight: 77.25kg Glass Included

INCLUDED ACCESSORIES

The Tru View XL Extra Tall series includes your choice of Design Media Kit - Driftwood, Birch or Rustic or ICE media kit

YOUR CHOICE:

DESIGN-MEDIA-DRIFT-15PCE

Now includes an additional 4 mini logs (Not Shown)



DESIGN-MEDIA-BIRCH-15PCE



ICE MEDIA



FI-109-Diamond

OPTIONAL:

DESIGN-MEDIA-SPLIT-LOG-16PCE

NEW



XL DEEP SMART

An elegant modern take on the timeless beauty found of old fireplaces, Amantii Tru View XL Deep Smart. Three sided, two sided, or one sided installation is possible with the included end panels.

This visually stunning fireplace is available in 4 sizes, 40", 50", 60" and 72", and will turn heads while adding warmth, ambiance, style to any room. The Tru View XL Deep Smart series includes your choice of Design Media Kit – Design Media Driftwood, Design Media Rustic, Design Media Birch or the Fire and Ice Media.

This unit is designed for finishing material to be built flush to the lip for a clean-faced finish. No trim or surround is included.

KEY FEATURES

- 3 sided built in electric fireplace
- WiFi Compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and Apple App Store
- Three speed flame motor
- Heat Outdoor 5000 BTU
- No unsightly venting and grills seen. A true clean and vent free look
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Touch pad for convenient control of the features and temperature display from the fireplace.
- Choose from combinations of yellow, orange and red colored flames
- Approved for indoor or outdoor applications. *Overhang required for outdoor applications
- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Two flame pattern styles – standard and more traditional
- New patented thermostatic remote comes included

IDEAL APPLICATIONS

- Residential spaces
- Patios
- Outdoor spaces
- Commercial spaces
- Restaurants
- New construction or renovations

TECHNICAL SPECS

Volts	120
Amps	12.5
Watts	1465 max
Heater On	1465 W high, 750 W low
Heater Off	25 W
Rotor Motor	1 at 5 W
BTU	5000



40-TRV-XL DEEP



Height, Width, Depth: 67.75 x 110 x 36.25
Glass Viewing Opening: 39.75 x 87
Shipping Size: 82.25 x 130.25 x 40.75
Shipping Weight: 55kg Glass Included

60-TRV-XL DEEP



Height, Width, Depth: 67.75 x 160.75 x 36.25
Glass Viewing Opening: 39.75 x 151.5
Shipping Size: 82.25 x 179.5 x 40.75
Shipping Weight: 73.25kg Glass Included



50-TRV-XL DEEP

Height, Width, Depth: 67.75 x 135.5 x 36.25
 Glass Viewing Opening: 39.75 x 115
 Shipping Size: 82.25 x 154 x 40.75
 Shipping Weight: 64kg Glass Included

72-TRV-XL DEEP



Height, Width, Depth: 67.75 x 191.25 x 36.25
 Glass Viewing Opening: 319.25 x 174.75
 Shipping Size: 82.25 x 220.5 x 40.75
 Shipping Weight: 87.25kg Glass Included

INCLUDED ACCESSORIES

The Tru View XL Deep series includes your choice of Design Media Kit - Driftwood, Birch or Rustic or ICE media kit

YOUR CHOICE:

DESIGN-MEDIA-DRIFT-15PCE

Now includes an additional 4 mini logs (Not Shown)



DESIGN-MEDIA-BIRCH-15PCE



ICE MEDIA



FI-109-Diamond

OPTIONAL:

DESIGN-MEDIA-SPLIT-LOG-16PCE

NEW



THE CUBE SMART

The Cube 2025WM Smart 3-Sided electric fireplace offers an innovative fire feature with unique flame presentation and fire media options.

Use the included remote to combine the flame presentation colors of red, yellow and orange to your home with the help of today's technology and high definition LED accent lighting.

The 5000 BTU heater warms up to 500 Square Feet of space while the flames operate independently of the heater and fan. This versatile unit can be configured with a pedestal base, or as a wall mount depending on your preference. Give your home a more contemporary atmosphere with this beautiful electric fireplace.

KEY FEATURES

- 3 sided built in electric fireplace
- WiFi Compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and Apple App Store
- Three speed flame motor
- Heat Outdoor 5000 BTU
- No unsightly venting and grills seen. A true clean and vent free look
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Touch pad for convenient control of the features and temperature display from the fireplace.
- Choose from combinations of yellow, orange and red colored flames
- Approved for indoor or outdoor applications. *Overhang required for outdoor applications
- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Two flame pattern styles – standard and more traditional
- New patented thermostatic remote comes included

IDEAL APPLICATIONS

- Residential spaces
- Patios
- Outdoor spaces
- Commercial spaces
- Restaurants
- New construction or renovations

TECHNICAL SPECS

Volts	120
Amps	12.5
Watts	1465 max
Heater On	1465 W high, 750 W low
Heater Off	25 W
Rotor Motor	1 at 5 W
BTU	5000



CUBE 2025WM WITH SPEAKER BASE



CUBE 2025WM Smart Speaker Base Dimensions
*Height, Width, Depth: 45.09cm x 49.85cm x 29.85cm



CUBE 2025WM WITH LEG BASE



Leg Base Dimensions
*Height, Width, Depth:
17.78cm x 52.07cm x 32.07cm



Leg Base is not approved for use outdoors.

Nº 3. Cube Wall Mount

CUBE 2025WM

Height, Width, Depth: 64.25 x 50 x 30
Glass Viewing Opening: 39.25 x 42 x 10
Shipping Size: 58.5 x 38.25 x 71.25
Shipping Weight: 27.25kg Glass Included



CUBE 2025WM



CUBE 2025WM Smart is approved for use outdoors in a covered area.
Speaker Base and Leg Base are not approved for use outdoors.

INCLUDED ACCESSORIES

Each unit comes with a 10 piece log set, charcoal grey real fireglass media and two bags of vermiculite, in black and white, and a remote.



MEASUREMENTS

Nº 1. Cube Speaker Base
109.22cm x 49.88cm x 29.85cm

Nº 2. Cube Leg Base
85.41cm x 49.85cm x 29.85cm

Nº 3. Cube Wall Mount
64.25 x 50 x 30

Nº 4. Leg Base
21.28cm x 52.07cm x 32.07cm

2939 XL SMART

Our Tru View Series 2939 XL Smart 3-Sided Indoor /Outdoor electric fireplace is stunningly modern! Featuring a innovative three-sided design for impressive viewing at any angle.

The 2939 XL Smart features two flame sets, ambient lighting in 13 colors to illuminate the decorative media like never before.

An updated design featuring a red, yellow and orange flame presentations and high definition LED accent lighting. It is perfect for any space, inside or out and including bathrooms.

Customize the appearance of the 2939 XL Smart further by utilizing the included 10 piece birch log set. Further media options available for separate purchase.

KEY FEATURES

- 3 sided built in electric fireplace
- WiFi Compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and Apple App Store
- Three speed flame motor
- Heat Outdoor 5000 BTU
- No unsightly venting and grills seen. A true clean and vent free look
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Touch pad for convenient control of the features and temperature display from the fireplace.
- Choose from combinations of yellow, orange and red colored flames
- Approved for indoor or outdoor applications. *Overhang required for outdoor applications
- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Two flame pattern styles – standard and more traditional
- New patented thermostatic remote comes included

IDEAL APPLICATIONS

- Residential spaces
- Patios
- Outdoor spaces
- Commercial spaces
- Restaurants
- New construction or renovations

TECHNICAL SPECS

Volts	120
Amps	12.5
Watts	1465 max
Heater On	1465 W high, 750 W low
Heater Off	25 W
Rotor Motor	1 at 5 W
BTU	5000



2939 XL



2939 XL



2939 XL

2939 XL

Height, Width, Depth: 99.75 x 75 x 30
Glass Viewing Opening: 73.75 x 66.25
Shipping Size: 104.25 x 82.75 x 31.25
Shipping Weight: 47.25kg Glass Included



2939 XL



INCLUDED ACCESSORIES

Each unit comes with a 10 piece log set, charcoal grey real fireglass media and two bags of vermiculite, in black and white, and a remote.



Approved for outdoor applications, including kitchens.

Note: For outdoor use it must be installed in a covered area. Please refer to the manual for additional information