

TECHNOLOGY AND DESIGN OF FUTURE



Fireplace stoves
and design fireplaces



FIREPLACE STOVES



Alea

The elegant, slim shape of the Alea fireplace stove is a perfect match for every interior. The rotating combustion chamber means you won't be restricted to watching the beautiful living flames from just a single angle.


Alea 01 ceramic		A⁺
P_R	2,9–7,4 kW	
+	1305 × 468 × 468 mm	
■	159 kg	
%	82,9 %	



Alea Accumulation

The Alea A accumulation fireplace stove will always adapt to your needs. Its rotating combustion chamber ensures you will always have a great view of the beautiful dancing flames, and the accumulation system above the combustion chamber will let you make great use of the heat released during combustion.

Alea 01 A ceramic		A⁺
P_R	2,9–7,4 kW	
+	1584 × 468 × 468 mm	
■	173 kg	
%	82,9 %	





Alejo

Alejo fireplace stoves are characterized by an elegant design, sophisticated central air intake and a fully glazed door that provides an uninterrupted view of the flames.

A+	
Alejo 01 ceramic	
P_R	3-78 kW
+	862 x 740 x 321 mm
▲	151 kg
%	83.5 %



Alejo 01
ceramic



Alejo 02
serpentine



Alejo 03
steel



Burgos

A generous combustion chamber with high quality design components and precise, clean lines. The Burgos fireplace stove gives any interior a unique atmosphere.

A+	
Burgos 02 serpentine	
P_R	3.5-9.8 kW
+	1175 x 756 x 507 mm
▲	242 kg
%	82.7 %



Burgos 01
ceramic



Burgos 02
serpentine



Burgos 03
steel



Burgos 04
sandstone



Espera

The innovative hot-water exchanger (HE) solution together with a double-glazed door significantly increases the overall efficiency and value of the Espera fireplace stove.

A	
Espera 01 ceramic	
P_R	5-13 kW
P_e	3.5-9.1 kW
+	1080 × 540 × 518 mm
▲	218 kg
%	80.1 %
Hot-water exchanger	



Espera 01
ceramic



Espera 02
serpentine



Espera 03
steel



Esquina 3G

This slim, angled model, with a tall glazed door will catch the attention of every visitor. The exceptional corner glass door provides more intense contact with the flames from all parts of the room.

A⁺	
ESQUINA 3G steel	
P_R	3-7.7 kW
+	1506 × 403 × 403 mm
▲	170 kg
%	81.4 %



Esquina 3G
steel



Esquina 3G with woodshed
steel



wide woodshed
steel



narrow woodshed
steel



Evora

Minimalistic, yet with a dominant shape. The Evora fireplace stove is a perfect fit for all interiors as it does not take up any more space than strictly necessary.

Evora 07 sandstone	
P_R	2–6.5 kW
+	996 × 528 × 398 mm
▲	126 kg
%	80.5 %

A



Evora Accumulation

A slender, tall accumulation stove with a popular oval base and high heat radiation capacity

Evora 03 A steel	
P_R	2–6.5 kW
+	1312 × 528 × 398 mm
▲	131 kg
%	80.5 %

A



Accumulation



Evora 01
ceramic



Evora 02
serpentine



Evora 03
steel



Evora 07
sandstone



Evora 01 A
ceramic



Evora 02 A
serpentine



Evora 03 A
steel



Evora 04 A
sandstone



Evora T

The Evora T fireplace stoves provides more than one point of view of the flames. The rotating combustion chamber allows you to view your fire from multiple angles.

Evora T 01 ceramic	
P_R	2–6,5 kW
+	997 × 528 × 398 mm
▲	124 kg
%	80,5 %

A



Evora T 01
ceramic



Evora T 02
serpentine



Evora T 03
steel



Evora T 07
sandstone



Fantasy 1, 2

In fireplace stoves FANTASY, impact has been put on bright, modern design and workmanship quality. Well-balanced proportions, design door glass with open view of the flame invites to relaxation and enjoying the moment.

For full shades offer check Romotop website with this model.

A

Fantasy 1 ceramic	
P_R	2,9–7,5 kW
+	1598 × 548 × 392 mm
▲	197 kg
%	80,6 %
Fantasy 2 ceramic	
P_R	2,9–7,5 kW
+	1455 × 557 × 402 mm
▲	193 kg
%	80,6 %
 Accumulation	



Fantasy 1
ceramic



Fantasy 2
ceramic



Gremio 1, 2, 3 – Gremio 1G, 2G, 3G

Regardless its conventional or rather rustic design, this unit is suitable for modern interiors as well. Tiled fireplace stove GREMIO feature perfect matching of shapes of ceramic tiles used for cladding. Three models of this fireplace stove with common technical base are on choice, however, each type makes an impression of its own.

For full shades offer check Romatop website with this model

A			
Gremio 1 ceramic			
P_h	2,9–7,5 kW		
+	1455 × 617 × 432 mm		
■	201 kg		
%	80,6 %		
Accumulation			



Gremio 1
ceramic



Gremio 2
ceramic



Gremio 3
ceramic



Gremio 3G
ceramic
door with design glass



Gremio 4, 5 – Gremio 4G, 5G

Tiled fireplace stove GREMIO feature perfect matching of shapes of ceramic tiles used for cladding. Three models of this fireplace stove with common technical base are on choice, however, each type makes an impression of its own.

For full shades offer check Romatop website with this model

A			
Gremio 4 ceramic			
P_h	2,9–7,5 kW		
+	1451 × 741 × 457 mm		
■	214 kg		
%	80,6 %		
Gremio 5 ceramic			
P_h	2,9–7,5 kW		
+	1453 × 616 × 431 mm		
■	199 kg		
%	80,6 %		
Accumulation			



Gremio 4
ceramic



Gremio 5
ceramic



Gremio 5G
ceramic
door with design glass



Laredo

The door made completely of glass with stainless steel details lends the Laredo fireplace stove an attractive and unique look.

A

Laredo 04 sandstone	
P_R	2–6.5 kW
+	996 × 528 × 398 mm
▲	128 kg
%	80.5 %



Laredo 01
ceramic

Laredo 02
serpentine

Laredo 03
steel

Laredo 04
sandstone



Laredo Accumulation

Laredo A is a picture of elegance. A full-glass door with stainless-steel elements and accumulation that efficiently utilizes the heat released by the stove.

A

Laredo 01 A ceramic	
P_R	2–6.5 kW
+	1312 × 528 × 398 mm
▲	142 kg
%	80.5 %



Accumulation



Laredo 01 A
ceramic

Laredo 02 A
serpentine

Laredo 03 A
steel

Laredo 04 A
sandstone



Laredo F

If you're looking for the perfect companion for long winter evenings, a Laredo F fireplace stove is the perfect choice.

A	
Laredo F 02 serpentine	
P_R	2–6.5 kW
+	996 × 520 × 318 mm
▲	158 kg
%	80.5 %



Laredo F 01
ceramic



Laredo F 02
serpentine



Laredo F 03
steel



Laredo T

The beautiful and elegant Laredo T fireplace stove provides a view of the flames from almost any angle.

A	
Laredo T 03 steel	
P_R	2–6.5 kW
+	975 × 528 × 398 mm
▲	124 kg
%	80.5 %



Laredo T 01
ceramic



Laredo T 02
serpentine



Laredo T 03
steel



Laredo T 04
sandstone



Lugano

The oval shape of the Lugano fireplace stove lends your interior a cosy feeling. It includes pleasant details such as a sill above the combustion chamber and a door handle whose technical design gives the fireplace stove an elegant look.

A⁺	
Lugano 01 ceramic	
P_R	3–78 kW
+	1224 × 550 × 438 mm
■	151 kg
%	81,9 %



Lugano 01
ceramic



Lugano 02
serpentine



Lugano 03
steel



Lugano 04
sandstone



Lugano A

The Lugano A accumulation fireplace stove can also be fitted with special accumulation tiles in the space above the combustion chamber. This "mass" of accumulation elements can extend the heat radiation period of the stove by several hours.

A⁺	
Lugano A 01 ceramic	
P_R	3–78 kW
+	1530 × 550 × 457 mm
■	167 kg
%	81,9 %
Accumulation	



Lugano A 04
sandstone



Lugano A 03
steel



Lugano A 02
serpentine



Lugano A 01
ceramic



Lugo N

The oval shape of the Lugo N fireplace stove helps create a cosy interior. It includes pleasant details, such as a sill above the combustion chamber or the door handle whose technical design lends the fireplace stove an elegant look.

A+

Lugo N 02 serpentine	
P_R	3–78 kW
+	1224 × 550 × 438 mm
▲	188 kg
%	81,9 %



Lugo N 01
ceramic



Lugo N 02
serpentine



Lugo N 03
steel



Lugo N 04
sandstone



Lugo N Accumulation

The Lugo N A accumulation fireplace stove can also be fitted with special accumulation tiles in the space above the combustion chamber. This "mass" of accumulation elements can extend the heat radiation period of the stove by several hours.

A+

Lugo N 01 A ceramic	
P_R	3–78 kW
+	1530 × 550 × 457 mm
▲	170 kg
%	81,9 %



Accumulation



Lugo N 01 A
ceramic



Lugo N 02 A
serpentine



Lugo N 03 A
steel



Lugo N 04 A
sandstone



Lugo N oven

The perfect combination of the warmth of the hearth and great food is hard to resist. So why not treat yourself to the Lugo N BF fireplace stove that comes equipped with an oven? You deserve the best.

A⁺	
Lugo N 01 BF ceramic	
P_R	3-78 kW
+	1552 × 550 × 456 mm
▲	202 kg
%	81,9 %



Lugo N 01 BF
ceramic



Lugo N 02 BF
serpentine



Lugo N 03 BF
steel



Navia

A sensitive fusion of all the major stove dimensions has resulted in a unique design. The rounded and unique dimensions of the glass provide a large area for direct observation of the flames.

A⁺	
Navia 01 ceramic	
P_R	3-78 kW
+	862 × 787 × 374 mm
▲	149 kg
%	83,5 %




Navia 01
ceramic



Navia 02
serpentine



Navia 03
steel



Navia G

A generous combustion chamber with high quality designer components and precise, clean lines. Navia G fireplace stoves are designed to seamlessly integrate into your home.

A+

Navia G 01 ceramic	
P_R	3–78 kW
+	862 × 787 × 374 mm
▲	151 kg
%	83,5 %



Navia G 01
ceramic

Navia G 02
serpentine

Navia G 03
steel



Ovalis

The rounded and unique dimensions of the glass provide a large area for direct observation of your fire. The compact shape of the Ovalis fireplace stove combined with the wide combustion chamber make it a perfect fit for your interior.

A+

Ovalis 05 ceramic	
P_R	3–78 kW
+	1071 × 630 × 398 mm
▲	138 kg
%	83,5 %



Ovalis 01
relief ceramic

Ovalis 02
serpentine

Ovalis 03
steel

Ovalis 04
sandstone

Ovalis 05
flat ceramic



Ovalis A

A sensitive fusion of all the major dimensions of this accumulation stove has resulted in a unique design. The rounded and unique dimensions of the glass provide a large area for direct observation of your fire.

A⁺	
Ovalis 04 A sandstone	
P_R	3-78 kW
+	1390 × 628 × 398 mm
▲	172 kg
%	83,5 %
 Accumulation	



Ovalis 01 A
relief ceramic

Ovalis 02 A
serpentine

Ovalis 03 A
steel

Ovalis 04 A
sandstone

Ovalis 05 A
flat ceramic



Ovalis T

Its exceptionally small depth and oval shape mean this slim stove will even fit into small interiors. The stove rotates, allowing you to enjoy the view of your fire from almost anywhere.

A⁺	
Ovalis T 03 steel	
P_R	3-78 kW
+	1015 × 628 × 398 mm
▲	141 kg
%	83,5 %



Ovalis T 02
serpentine

Ovalis T 03
steel

Ovalis T 05
ceramic



Ovalis G

A sensitive combination of a large designer door glazing print with varnished control elements has given birth to the unique design of Ovalis G fireplace stoves.

A⁺	
Ovalis G 02 serpentine	
P_R	3–78 kW
+	1074 × 630 × 398 mm
▲	158 kg
%	83,5 %



Ovalis G 01
relief ceramic

Ovalis G 02
serpentine

Ovalis G 03
steel

Ovalis G 04
sandstone

Ovalis G 05
flat ceramic



Ovalis G Accumulation

A sensitive combination of a large designer door glazing print with varnished control elements has given birth to the unique design of Ovalis G A fireplace stoves.

A⁺	
Ovalis G A 02 serpentine	
P_R	3–78 kW
+	1390 × 628 × 398 mm
▲	179 kg
%	83,5 %
 Accumulation	



Ovalis G 01 A
relief ceramic

Ovalis G 02 A
serpentine

Ovalis G 03 A
steel

Ovalis G 04 A
sandstone

Ovalis G 05 A
flat ceramic



Riano

The Riano fireplace stove is for those who love a prominent and clear-cut design. The stove's lines do not detract from the wide combustion chamber.

A	
Riano 03 serpentine	
P_R	3-78 kW
+	920 × 820 × 420 mm
▲	176 kg
%	801 %



Riano 01
steel



Riano 02
ceramic



Riano 03
serpentine



Riano N

Elegance and minimalism. These words precisely capture the essence of the Riano N fireplace stove. Its wide combustion chamber with a full-glass door offers ample heat and a beautiful view of the flames.

A	
Riano N 05 serpentine	
P_R	3-78 kW
+	995 × 827 × 410 mm
▲	162 kg
%	801 %



Riano N 01
steel



Riano N 02
ceramic



Riano N 03
serpentine



Riano N 04
ceramic



Riano N 05
serpentine



Siena N 01

The SIENA N fireplace stoves are designed as an all-tile stove which means that the ceramic tiles are the main material that sets its clear design direction and functionality. It stands out in a wide range of classic interiors, whether in houses or cottages. The elegantly rounded shapes and overall dimensional balance give these stoves a distinctive style.

Siena N 01 ceramic	
P_R	2,9-7,5 kW
+	848 × 696 × 425 mm
▲	134 kg
%	80,6 %

A



Siena N 02

The SIENA N fireplace stoves are designed as an all-tile stove which means that the ceramic tiles are the main material that sets its clear design direction and functionality. It stands out in a wide range of classic interiors, whether in houses or cottages.

Siena N 02 ceramic	
P_R	2,9-7,5 kW
+	977 × 652 × 403 mm
▲	149 kg
%	80,6 %

A



Siena N 01
ceramic (77900)



Siena N 01
ceramic (67300)



Siena N 01
ceramic (19301)



Siena N 02
ceramic (67300)



Siena N 02
ceramic (19301)



Soria N

The beauty of Soria N fireplace stoves is perfectly emphasized by their large glass door, offering a unique view of the fire. Lose yourself in the dancing flames.

A⁺	
Soria N 01 ceramic	
P_R	2,8-7,2 kW
+	1554 × 517 × 517 mm
▲	203z kg
%	83,9 %



Soria N 01
ceramic



Soria N 02
serpentine



Soria N 03
steel



Soria N 04
sandstone



Stromboli N

The large combustion chamber on its elegant pedestal and rotating mechanism of the Stromboli N fireplace stove offer you the opportunity to enjoy its radiating heat anywhere in the room.

A	
Stromboli N 04 sandstone	
P_R	3-7,8 kW
+	1073 × 666 × 475 mm
▲	229 kg
%	80,1 %



Stromboli N 01
serpentine



Stromboli N 02
ceramic



Stromboli N 03
steel



Stromboli N 04
sandstone



Tala N

The defining feature of the TALA N is the large door for an unobstructed view of the fire. The main material used for the body is sheet metal, which also determines the overall impression of the stove.

Tala N 01 steel		A	
P _R	3-77 kW		
+	1064 × 480 × 433 mm		
▲	111 kg		
%	78.0 %		



Tala N 01
steel



Tala N 06
steel



Teon L

The design of the TEON stove is straight and clearly defined by rectangular elements. In combination with its compact proportions, the stove will find its place in any modern interior.


Teon L 03 steel		A	
P _R	2.9-7.5 kW		
+	1056 × 500 × 380 mm		
▲	132 kg		
%	80.6 %		



Teon L 03
steel



DESIGN FIREPLACES



Cara C 02, Cara CS 02

The Romotop Cara C 02 is a high quality accumulation fireplace that responds to the latest trends and needs of modern interior architecture. Its carefully balanced outer proportions, clean lines and dominating, wide three-sided glazing create an imposing whole to satisfy even the most demanding customers. The Cara CS 02 is a leaner variant which will perfectly suit low-energy homes.



A+

Cara C 02 serpentine	
P_R	3,9-10,1 kW
+	1648 × 924 × 577 mm
■	343 kg
%	82,9 %

Cara CS 02 serpentine	
P_R	2,9-7,4 kW
+	1648 × 774 × 577 mm
■	316 kg
%	82,1 %



Accumulation



Cara C 02
serpentine



Cara CS 02
serpentine



Cara C N 03, Cara CS N 03

The Cara C N is a high quality fireplace which combines varnished metal sheeting and glass, and the whole geometry of the combustion chamber is based on the letter "C". Its elegant black colour combined with ample amounts of glazing lets the flames truly shine. The Romotop Cara CS N 03, a perfect minimalist accumulation fireplace, has established a new trend in heating.



A+

Cara C N 03 steel	
P_R	3,9-10,1 kW
+	1641 × 924 × 577 mm
■	272 kg
%	82,9 %

Cara CS N 03 steel	
P_R	2,9-7,4 kW
+	1643 × 774 × 577 mm
■	238 kg
%	82,1 %



Accumulation



Cara C N 03
steel



Cara CS N 03
steel



Cornea L/R 2S (Accum)

Tiled accumulation fireplaces CORNEA have been specially designed for corners of rooms, creating the high-light of the room, even if standing in the alone. Their role is bringing warm atmosphere, especially where they must conform to the overall layout of the room. The bent glazing is used on the door with right/left side opening (depending to type). Large format ceramic tiles in various colours can be used for cladding (depending on your choice).

For full shades offer check Romotop website with this model



2S



Accumulation

Cornea L/R 2S	
P_R	2,9-7,4 kW
+	1694 × 460 × 460 mm
■	181 kg
%	81,4 %
Cornea L/R 2S Accum	
P_R	2,9-7,4 kW
+	1694 × 460 × 460 mm
■	229 kg
%	86,2 %



Cornea L 2S (Accum)
ceramic



Cornea R 2S (Accum)
ceramic



Cornea L/R 3S (Accum)

Tiled accumulation fireplaces CORNEA have been specially designed for corners of rooms, creating the high-light of the room, even if standing in the alone. Their role is bringing warm atmosphere, especially where they must conform to the overall layout of the room. Large format ceramic tiles in various colours can be used for cladding (depending on your choice).

For full shades offer check Romotop website with this model



3S



Accumulation

Cornea L/R 3S	
P_R	2,9-7,4 kW
+	1694 × 460 × 460 mm
■	198 kg
%	81,4 %
Cornea L/R 3S Accum	
P_R	2,9-7,4 kW
+	1694 × 460 × 460 mm
■	246 kg
%	86,2 %



Cornea L 3S (Accum)
ceramic



Cornea R 3S (Accum)
ceramic





Harmony F/FN (Accum)

Tiled accumulation fireplaces HARMONY are compact and elegant heating units, completely clad with ceramic tiles, which are ideal for efficient accumulation and radiation of heat. The design reflects combined type of heating, i.e. pleasant heat energy radiation and heat convection, that is heating by airflow. Both heating modes operate at the same time. In each phase of heating, one of them prevails.

For full shades offer check Romotop website with this model



45

A+

Harmony F/FN	
P_R	2,4–6,2 kW
±	1703 × 460 × 460 mm
▲	234 kg
%	84,3 %

Harmony F/FN Accum	
P_R	2,4–6,2 kW
±	1703 × 460 × 460 mm
▲	295 kg
%	89,0 %



Accumulation



Harmony F (Accum)
ceramic



Harmony FN (Accum)
relief ceramic



Harmony L/R (Accum)

Tiled accumulation fireplaces HARMONY are compact and elegant heating units, completely clad with ceramic tiles. The design reflects combined type of heating, i.e. pleasant heat energy radiation and heat convection, that is heating by airflow. Both heating modes operate at the same time. In each phase of heating, one of them prevails.

For full shades offer check Romotop website with this model



45

A+

Harmony L/R	
P_R	2,9–7,4 kW
±	1703 × 460 × 460 mm
▲	227 kg
%	81,4 %

Harmony L/R Accum	
P_R	2,9–7,4 kW
±	1703 × 460 × 460 mm
▲	275 kg
%	86,2 %



Accumulation



Harmony L (Accum)
ceramic



Harmony R (Accum)
ceramic



Helia F

Fascination of the fire in equilibrium with proportions and technology. Tiled fireplace HELIA is a sub-model of the SOLID range. HELIA is the right choice for small rooms, offering literally "wide-angle" view of the fire, thanks to several door glasses (in corner models, viewing also from the side). HELIA fireplaces are clad with hand-made ceramic tiles.

For full shades offer check Romotop website with this model.



Helia F	
P_R	2,4-7 kW
+	1412 x 722 x 461 mm
▲	244 kg
%	83,6 %



Helia F
ceramic



Helia L/R

Fascination of the fire in equilibrium with proportions and technology. Tiled fireplace HELIA is a sub-model of the SOLID range. HELIA is the right choice for small rooms, offering literally "wide-angle" view of the fire, thanks to several door glasses (in corner models, viewing also from the side). HELIA fireplaces are clad with hand-made ceramic tiles.

For full shades offer check Romotop website with this model.



Helia L/R	
P_R	2,9-7,4 kW
+	1412 x 722 x 461 mm
▲	237 kg
%	85,7 %



Helia L
ceramic



Helia R
ceramic



Solid F/FN (Accum)

Radiation heating well balanced with warm air flow. It was the goal of SOLID fireplaces designers that has been reached in its entirety. This product feature pure lines, precise workmanship and large-format hand-made ceramic tiles.

For full shades offer check Romotop website with this model



A+

Solid F/FN	
P_R	2,4-70 kW
+	1825 x 722 x 456 mm
▲	310 kg
%	83,6 %

Solid F/FN Accum	
P_R	2,4-70 kW
+	1825 x 722 x 456 mm
▲	437 kg
%	90,8 %



Accumulation



Solid F (Accum)
ceramic



Solid FN (Accum)
relief ceramic



Solid L/R (Accum)

Radiation heating well balanced with warm air flow. It was the goal of SOLID fireplaces designers that has been reached in its entirety. This product feature pure lines, precise workmanship and large-format hand-made ceramic tiles.

For full shades offer check Romotop website with this model



A+

Solid L/R	
P_R	2,9-74 kW
+	1826 x 722 x 456 mm
▲	302 kg
%	85,7 %

Solid L/R Accum	
P_R	2,9-74 kW
+	1826 x 722 x 456 mm
▲	419 kg
%	92,1 %



Accumulation



Solid L (Accum)
ceramic



Solid R (Accum)
ceramic



Spirit C1

Appealing fireplace with three-side glazing, sophisticated details and focus on overall design and technical workmanship. These elements feature an impressive complex, addressing even the most demanding customers. The structure of the fireplace is covered with large format ceramic tiles that are ideal for efficient heat transmission.

For full shades offer check Romotop website with this model



A+	
Spirit C1	
P_r	2,9–7,4 kW
+	1702 × 680 × 530 mm
▲	277 kg
%	82,1 %
Accumulation	



SPRIT C1 (Accum)
ceramic



Accumulation set,
the weight = 66 kg



Spirit C2/C2 M

Appealing fireplace with three-side glazing, sophisticated details and focus on overall design and technical workmanship. The structure of the fireplace is covered with large format ceramic tiles that are ideal for efficient heat transmission.

For full shades offer check Romotop website with this model



A+	
Spirit C2/C2 M	
P_r	3,9–10,1 kW
+	1703 × 834 × 532 mm
▲	318 kg
%	82,8 %
Accumulation	



Spirit C2
ceramic



Spirit C2 M
ceramic



Accumulation set,
the weight = 100 kg